0232

Members of Party.

Bradford Wheeler	Assistant Engineer	Sacramento.
Drury P. Butler	Transit man	"
Erle dean O. Henderson	Head Chainman	Stockton
Merwyn M. Isham	Rear Chainman	Courtland.
Thomas B. Leeper	Stake puncher	Sacramento
Clarence H. Brown	Back Flagman	Stockton.
Norbert Mosher	Stake puncher	Clarksburg
Lee A. Duncan	Stake Artist	Sacramento.

0233

Index

Page 2

Members of Party 1

D line location from E 733+71.3 P.O.T. = D 733+71.8 B.C. 0°30'
to D 1108+65.5 Δ = T 1107+60.5 Δ 6 to 29

H Line Location on Franklin Road from D Line to River 51-57
H " Topography of " " " H 719+ to H 740+ 5
Meander Lines of Snodgrass Slough pages 30-40, 47-49, 59-60
" " " Anderson Lake " 43-44
" " " Drainage Canal " 45-46
"T" Line Location from "D" 1108+65.9 Δ on Tang = "T" 1107+60.5 E.C. to
"T" 1197+43.7 Δ on Tang = "E" 1420+45.5 E.C. 61-65

"S" Line Location from "E" 1394+09 Δ on 1°30' curve = "S" 1169+66.5 Δ on Tang
to "S" 1183+45.94 Δ Sp. Sw = "T" 1183+45.24 Δ on Tang. 66-67
Connection of "T" and "S" Lines with Property Lines 68
Property Lines. S.E. corner of Sec. 35. T 6 N. R 4 E. 70
Survey of Borrow Pit on "H" Line showing Strip to be Deeded to Hood Improvement Co. 70
" " " Strip of Land (marked "Reserved" on map of Hood) to be deed to the
Central Pacific Railway by the Hood Improvement Company. 71
Meander Lines of Snodgrass Slough:-
M Line begins 47
M_2 " " 48
M_3 " " 49
M_4 " " 50
Location of New Freeport Telephone & Telegraph Co. Poles and Farmer's Telephone Line Poles at Hood A

0234

Location of New Freeport Telephone and Telegraph Company Poles and Farmer's Telephone Line Pole at Hood along Sec. 6 River Front.



0235

(For Original Cross Sections of "H" Line see Book #22 Page 1)
(For level notes of "H" Line see Level Book #13 Page 46)

0236

+03.8 ▲ B.C.
740
739
738
737
+80 ▲
736
+52 ▲
735
734
733

732
731
730
729
728
727
726
725
724
723
722
721
720
H 719+51 ▲ E.C.



"D"

Deg. L. Deg. R.

Sec. Tangent 962.32

743	0°15'	
+50	0°07½'	
+11		
742	0°	
+75	0°00'	
+60		
+52		
+50	1°32½'	
741	1°45'	
+50	1°37½'	
740	1°30'	
+50	1°22½'	
739	1°15'	
+50	1°07½'	
738	1°00	
+50	0°52½'	
737	0°45'	
+50	0°37½'	
736	0°30'	
+50	0°22½'	
735	0°15'	
+50	0°07½'	
734	0°00'	0°04' S

Total Curvature

Borrow pit

Toe of Fence

Hub on East of Fence

Toe of Fence

Fence

Hub near Fence

Undistributed Ground
John Johnston Estate

Hay Field and Pasture
Reclaimed

(For Levels on "D" Line
See Level Book #13.
Page 4.)

D 733+71.5 ℄ B.C. 0°30' Lt.

E 733+71.5 ℄ P.O.T.

Calculated Course S. 2° 31' W.

Continued from Transit Book #7, page 26.

Note: ℄ angles are turned to tangent @ curve at that point

0237

	Defl	Defl
750	1°37½	
750	1°30	
750	1°22½	
749	1°15	
750	1°07½	
748	1°00	
750	0°52½	
747	0°45	
750	0°37½	
746	0°30	
750	0°22½	
730		
128		
745	0°15	
750	0°07½	

Henry Frey
Hay Field and Pasture
Partially Reclaimed

Fence

297

90°

Property Line

Fence

744	0°00	
743+99		
743+99		
769		
752		
750	2°26½	5°36
739		
725		

1960 08

Length of Curve

297

Intersect Point

743+99

4587

Property Line

Wm Johnston Estate

Toe of Levee

Corrected N Stas by RE Dufour Aug 12.09.

Crest of Levee

Edge of Road

106°20'

Bridge

3235

Fishkill Road

Crest of Levee

Edge of Road

116'

Toe of Levee

Note. All angles are turned from tangent to curve at that point

0238

"D"

765
+50
764
+50
763
+50
762
+50
761
+50
760
+50
759
+50
758

Magnetic Course S 26° 05' E.
Calculated Course S. 7° 12' E.

Fence Boundary Line
E.A. Gammon

+50
757
+50
756
+50
755
+50
754
+50
+31 B.M. E.C.
753
+50
752
+50
751

Fence

Henry Frey
Hay Field Partially Reclaimed

See Level #13, page 13.

0239

"D"

+50
777
+50
776
+50
775
+50
774
+50
773
+50
772
+50
771
+75

Mrs E.A. Runyon
Pasture. Partially Reclaimed

Fly Ridge Level

S 17° 12' E

Private Road 8' Wide

+50
770
+50
+42
+39 Fence
+
769
+50
768
+50
767
+50
766
+50

Calculated Course

102 + 30

Ditch 3' wide 3' deep along fence

Fence Property Line

9 7 8

5.015

8 0 5 2

Henry Frey
Hay Field. Partially Reclaimed

Zero

Fence

Fence Property Line
E.A. Runyon

0240

D

+50
7.82
+50
791
+50
790
+50
789
+50
788
+50
787
+50
786
+50

785
+50
784
+50
783
+50
782
+50
781
+50
780
+50
779
+50
778

Mrs E.A. Runyon
Pasture Partially Reclaimed

S 7°11'E

Calculated Course

0241

"D"

11

+50
803
+50
802
+50
801
+50
800
+50
799
+50
798
+50
797
+50

796
+80
+50
795
+64
+50
+18
+16
794
+79
+50
+27
793

Calculated Course S 7°17' E

Mrs E.A. Runyon
Pasture Unreclaimed



0242

"D"

818
+50
817
+50
816
+50
815
+50
814
+50
813
+50
812
+50
811
+50
810
+50
809
+50
808
+50
807
+50
806
+50
805
+50
804

Course S.87 ½ 17' E.

Calculated

Mrs E. A. Runyon
Pasture Unreclaimed

0243

D

109
832
759
750
831
750
830
750
829
750
828
750
827
750
826

Course S. 7° 17' E.

Tule

Slough 20'

750
825
750 △ Edge of Tule
824
750
823
750
822
750
821
750
820 △
750
819
750

△ Sink 0 4"

0244

D

844
+50
843
+50
842
+60
+50
+122.3
841
+50
840
+50
+104
839
+50

Clarke Lake
Edge Tule = +66

Tule
Edge Tule = +50
Tule
+50 +100

838
+50
+20
837
+50
836
+50
835
+50'
+45 Edge of Tule
834
+50
833
+60.3
+50

Water and weeds
450'
Open water
Clarke Lake
Water and Weeds

Edge Tule = +45
+100 +45
120
Tule
Weeds
Tule

0245

D

857
+50
856
+50
855
+50
854
+50
853
+50
852
+50
851
+5.6
+24.4

Clarke Lake
Depth 4 to 6'
Channel across by Stakes set
Lines boats could steer
by all stakes on the right
Distance

Edge Tule +50

850
+50
+25
849
+50
848
+50
+20
847
+90
+50
846
+50
845
+50

Tule

Edge Tule +125

Clarke Lake

100
Tule Island 50 Sept 11 1907
260

Clarke Lake

0246

D

870	150
869	150
868	150
867	150
866	150
865	150
864	150

Clarke Lake

Sept 12 1907

150 Eastern Limit

863	120
862	150
861	150
860	150
859	150
858	150

Clarke Lake

0247

D

17

Tule

+75 Edge of weeds

Clarke Lake

+75 Edge Tule

+30'

Tule

+75 Edge of Tule

Clarke Lake

775
750
882
775
750
723 4
881
750
880
775
750
879
750
878
750

877
750
876
750
875
782
750
874
750
728
873
750
872
750
871

Sept 13 1907
+82 Edge of weeds

Water weeds

728 Edge of weeds

Clarke Lake

0248

0249

+125
+50
896
+50
895
+50
894
+50
893
+50
892
+50
891
+50
890

Tule

Water weeds

Clarke Lake

50'

+50
889
+50
888
+50
887
+50
+45
886
+50
885
+50
884
+50
883

(+10')

Tule

5'

100'

+45 Edge of Tule

Tule

Water weeds

Clarke Lake


D
910
+50
909
+50
908
+50
907
+50
+20
906
+50
+50
905
+50
904
+50
903
+50
902
+50
901
+50
900
+50
899
+50
898
+50
897
Pasture Fred Eberhardt
See page 70
— See page 41 —
Road
Pasture
Tule
Point
0250

Sept 14-1907
P.E.D.

Footure

F Embankment

Drainage Canal

Footure

— See pages 95-96 —

910	
"D" 1291	
922	+50
923	+50
924	+50
920	+50
919	+50
918	+38
	+50
917	+32
	+50
916	+50
915	+50
914	+50
913	+50
912	+50
911	+50

0251

Sta
D +37.5
934 +50
935 +50
932 +85
+85
933 +50
931 +99
+99
+96
+50
+15
930 +75
+11
+50
927 +50
928 +50
+
929 +50
926 +50
925 +50

Calculated Course 97°17' E.

Beginning of Tube

S. Edge of Borrow Pit

Anderson's

N. Edge of Borrow Pit — See pages 42 to 44 —

Lease

81°52½'

96°55'

84°04½'

2794.0

45°

50°55'

T Line

T 930 +192

T 935 +38

Elevation

Position

0252

Sta
D 961
962
963
960
959
958
957
956
955
954
953
952
951
950
949

S 7° 17' E

F Ehrhardt

Tulsa

Calculated Course

949
948
947
946
945
944
943
942
941
940
939
938
937
936
935

N 19° 31' W

Fence

Tulsa

22

0253

Calculated Course

E Ehrhardt

Tulsa

S 97° 17' E

Miss Mary Keeno

97° 57'

88° 55'

Property Line

Smoke Stack

Tulsa

PIERSON DISTRICT PUMPHOUSE

0254

Calculated Course

S. 7°17' E.

Mrs. Mary Keeno

Tulsa

Tulsa

0255

1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052

Calculated Course

97° 17' E

Tides

Tides

Calculated Course S 87°17' E

SWAMP LAND SURVEY
1000

0257

Sta	Deflect	Total Angle
D 1089	1°45'	
+50	1°30'	
1088	1°15'	
+50	1°0'	
1087	0°45'	
+50	0°30'	
1086	0°15'	
+50	3°0'	7°52½'
1085	2°45'	
+50	2°30'	
1084	2°15'	
+50	2°0'	
1083	1°45'	
+50	1°30'	
1082	1°15'	
+50	1°0'	
1081	0°45'	
+50	0°30'	
1080	0°15'	
+50	2°0'	4°07½'
1079	1°45'	
+50	1°30'	
1078	1°15'	
+50	1°0'	
1077	0°45'	
+50	0°30'	
1076	0°15'	
+50	2°06½'	2°21½'
1075	1°51¾'	
+60	1°36¾'	

Length of Curve 3325.88

Tangent 1711.26

Tubes

Tubes

0258

Sta.	Def	total Angle
D 1102	0°30'	
+50	0°15'	
1101 △	2°0'	14°51½'
+50	1°45'	
1100	1°30'	
+50	1°15'	
1099	1°0'	
+50	0°45'	
1098	0°30'	
1097 +63 △		
+58		
+56		
+		
+53	center of ditch	
+50	0°15'	
1097 △	2°45'	12°51½'
+50	2°30'	



1096	3°15'	
+50	2°0'	
1095	1°45'	
+50	1°30'	
1094	1°15'	
+50	1°0'	
1093	0°45'	
+50	0°30'	
1092	0°15'	
+50 △	3°0'	10°51½'
1091	2°45'	
+50	2°30'	
+03	[illegible]	
1090	2°15'	
+75	[illegible]	
+73		
+50	2°0	

Taylor

0260

T 1107 + 605 △
D 1108 + 65 △
+50
1108
+50
1107
+50
1106
+50
1105
+53 45 △ 1°46 16°59 3/4' E.C. 1° Rt
+50 1°45'
1104 1°30'
+50 1°15'
1103 1°01'
+50 0°46'
T.C 33°15 1/2'

Continued on page 61. Notes copied from Transit Book #11 △ page 38. Oct. 14, 1911. H.V.M.

△ 1104 + 53 45 E.C 1° Rt.

N.

Con- Meander of Grassgrass Slough Nov. 18, 1907

32

31

30 △ 33°20' Lt S84°0'W. △ 30+00

29

28

27

26

25

24 △ 65°42' Rt S57°30'W. △ 24+00

23

22

21

20

19

18

See pages 34, 35 for topog.

S84°0'W

S57°30'W

SLOUGH

West Bank

459'
294'
293'
198'
295'
270'
212'

17

16

15

14

13

12

+35 △ 4° 0' Lt S8°0'E △ 38°E △ 12+35.0

11

10

N 9+64.3 △ 36°01' Rt S4° E △ 9+64.3

N 5+17.5 △ Continued from page 47 △ 5+17.5

S8°0'E

S4°0'E

S4°31'E

SLOUGH GRASS

South

149'
121'
109'
108'
98'
92'
96'
95'

Pasture

0261

0292

Meander of Snodgrass Slough

51
50
+10 △ 27°30'Lt. S 35°30'E S 36°0'E 49+10
49
48
47
46
45
+80 △ 34°40'Lt. S 2°0'E 44+80
44
+87
+59
43
+65 △ 39°0'Lt. S 27°0'W 42+65

Snodgrass Slough

West Bank
73' × 13'
74' × 15'
82' × 37'
86' × 19'
Bears at
76' × 27'

+12
42
41
40
39
+10 △ 30°30'Rt. S 66°0'W 38+10
38
37
+60
+15
36
+35
35 △ 11°20'Rt. S 33°0'W
34 44+39+16
33

S 66°0'W
S 35°30'W
S 30°30'E
44+35+65

18'
Bears out
76' × 21'
79' × 18'
91' × 20'
90' × 35'
84' × 3'

Snodgrass Slough

Dredger Cut
50
50
50
115' × 54'
188.5
110'
30
16
55
See page 55

M

Meander of Snodgrass Slough

Continued on page 33

M 64
63
62
+ 75
+ 55
+ 15 △ 59°40' Lt. S 25°0' E
61
60
59
58

S 34°40' W

S 31°0' W

112' × 48'
100' × 20'
20' Beaver Cut
38' △ 61+45
110' × 8'
76' × 43'
BANK

+45 △ 95°20' Lt. S 34°30' W.
57

S 60° W

56
+35 △ 15°0' Lt. S 60° W.
55
54
53
+70 △ 58°20' Rt. S 75° W
+56
52

S 15°40' W

51+35 △ 52°10' Rt. S 16°30' W

80' × 69' △ 57+45

87' × 84' 56+35

WEST

S 1°0' E 1794.93

86' × 44'
119' 3" △ 52+70

81' × 7' △ 51+35

M

Meander of Swordgrass Slough

continued on page 39

+ 10	1°40'Lt	S73°0'W	79+10
79			
78			
77			
76			
75			
74			
+ 25	33°30'Lt	S74°30'W	73+25
73			
72			
+90	24°0'Lt	N78°0'W	71+90
71			
70			
M69+25	151°Rt	directional angle changed from Left to Rt by H.S.M.	69+25

S72°50'W

S72°30'W

N72°0'W

DISTRICT 554

LEVEE

DISTRICT 554

DREDGER CUT

Fountain's Lake

64' × 154'

62' × 169'

60' × 200'

158'

70'

0294



M 69 + 25

69

+50

68

+ 23

67

66

65

64 +80

S65°0'E

NT

Meander of Snodgrass Slough



NT
20
21
+10 ▲ 30°30'Lt S 54°30'E 90+10
20
19
18
+75 ▲ 27°45'Rt S 31°30'E S 54°0'E 17+75
17
16
15
14+50 ▲ 24°30'Rt S 56°0'E S 31°30'E 14+50
14 ▲ 55°Lt S 56° E 14+00
13
+35
+5
12
+65 ▲ 37°37½'Rt S 38°52½'E S 1°0'E 11+65
11
NT 10+91½ ▲ 0°
NT 5+98.31 ▲

Continued from 6+98.31
page 81

0266

M⁴ Meander of Snodgrass Slough

Col M⁴ S 30°40' W
" M. S 21°10' W
Diff 6°30'

- See page 31 -

39
38
37
36
+65 Δ 21°0'Lt S30°30'
35
34
33
32
31
30
+65
29
+82
+52
28
+49
27 Δ 58°45' Rt.
26
25
+13
24
+81
23
M⁴ 22 +90 Δ 34°10' Rt. South

S 30°40' W

M 35 +55

S 21°10' W

M 30 +00

149.6 S 28°30' W

20' 77' 69' 80' 70' 72'

Barn 91'
Slough
Brush
Beaver Cut 121'
Willow
Pasture
Snodgrass
Beaver Cut 109' 92' 92'

Meander of Snodgrass Slough

M3

28

27

26

25

+65 ▲ 23°20' Rt. N8°E

24

23

22

+22

21

+97

+05 ▲ 62°10' Lt. N15°W

20

19

18

17

16

15

14

+15

13

+93

12

+80 ▲ 37°50' Rt. N47°E

11

M3 10+90 ▲ 3°½ Rt. N9°E

M3 9+34.8 ▲ See page 49

N8°10'E

N15°30'W

N47°0'E

N9°30'E

48' 18'

49' 16'

50' 9' ▲ 24+65

61' 53'

58' 70'

BEAVER OUT

78' 41'

▲ 20+05

57' 76'

55' 35'

53' 20'

ISLAND

TULES

SLOUGH

50' 8'

N.E. BANK

54' 18'

BEAVER OUT

54' 19'

43'

41' ▲ 11+80

43'

▲ 10+90

SNODGRASS

TULES

▲ 6+34.8

0267

M2 Meander of Snodgrass Slough.

Cal. M3 Line N 15° 0' W

Continued on page 40 " M2 " N 4° 29' E

Diff. 19° 29'

M3 62+90

310 1/2°

88 1/2°

N 15° 0' W

54+65

55+60

+60

55

54

53

52

51

50

49

48

47

N 4° 29' E

551

<70' x 65' x 117'

<65' x 127'

46

45

44

43

42

41

+60

40

39

38

37

36

35

34

M33

N 4° 29' E

DISTRICT

OREGON OF LEVEE

<67' x 130'

N.E. CORNER OUT

<65' x 125'

DREDGER

ISLAND

Continued from page 38

0268

Continued on page 37

M²

Meander of Snodgrass Slough

+50

32

+70 △ 32°0'Rt N8°30'E 31+70

+55

31

30

29

28 +70

27

26

25

+45.4 △ 27°0'Lt N27°30'W 24+45.4

24

+63

23

22

21

+40

20

19

+06 △ 7°50'Lt N°30'W 18+06

18

17

16

15

+7

14 +7

+13

13

M² 12+32.83 △ 3°30'Lt N7°0'E 12+32.83

M² 10+00 △ 10+00

N 11°30' W

N 27°30' W

N 8°30' W

N 7°0' E

N 11°30' W

DISTRICT 551

<66' × 150'

<43' × 143'

<65' × 51' × 98'

43' × 64' × 147'

48' × 74' × 96'

40' × 92' × 111'

DREDGER OUT

ISLAND

TULES

DREDGER OUT

<63' × 74'

<46' × 79'

49' × 71'

45' × 74'

38' × 75'

25' × 75'

25' × 3'

SNODGRASS SLOUGH

Continued from page 49.

Errors in bearing Butler see page 49

See page 45

6920

11

Col. H Line S 80°40' W

" T " S 85°55' W

Dift 5°41'

88 +30

87

86

85

84

83

+60 A 7°03' N S 81°00' W

82

81

80.

S 72°30' W S 80°40' W

Continued from page 53

DISTRICT 554

88+00

LEVEE

61'

125'

DREDGER

OUT

300'

94'

ABOUT 1/4 MILE TO MARSH NOT TO SCALE

SOUTHERN PACIFIC

S 85° 55' W

T 11 N R 13 E

0270

0271


Note- pipe at center of Sec 14 was not found but was referenced in corner book from D Butler
Iron Pipe
A Eastman
Lester Green
Reel Dist N 55° E Levels
To Walnut Grove
Continued from page 37
To Sacramento
To Galt

41

Oct 8-1907

P.D

D906 + 1985

C. W. Clarke

old Mk & not on line by D. Hatter

— See page — 19 —

D906 + 1985

S 82° 21' W

T. 5. N. R. 4. E.

4624.7

S.W. Cor. Sec. 35

T. 6. N. R. 4. E.

Note — The location of this corner was gotten from information of Mr. Fred Ehrhardt that the intersection of the Fence between C.W. Clarke and Jno. Herzog With the township Line (center of road) is the section corner. Actual corner post was not found.

02722

Meander of Anderson Levee

P.I. 8+87.20 △
BD. 14+32.03 △

8
7
6
5
4
3
2
1
+15
0+10

D 930 +61.2 △
HL. 0+00 △ S 88°49' E

N 88°49' W

Crest of levee at break
Toe " " " "

Borrow Pit
Anderson
Levee
Borrow Pit

40' × 42' × 41' × 43'±
44' × 42' × 41' × 40'±
42' × 43' × 40' × 51'±

N 88°49' W.

8
7
6
5
4
3
2
1
+15
+85

D 930 +61.2 △
HL. 0+00 △ S 88°49' E

Crest of Levee at break
Toe of " " "

Borrow Pit
Anderson
Levee
Borrow Pit

42' × 43' × 40' × 51'±
44' × 42' × 41' × 40'±
42' × 41' × 35' × 39'±

Note - Anderson's Levee continues on this same line for at least 3000'

81° 53' Lt S 88° 49' E

0273

Meander of Anderson Levee

Angle Mag. Bear.

30
29
28
27
26
25
+50.6
+41.8 ℄ △ 21°46'Lt. N80°30'W
24
+15
+5
23
+85
+70
22

21
20
19
18
17
16
15
+73.05 △ 30°11'Rt. N58°30'W.
14
13
12
11
10
+39
#9+11

N58°30'W

N58°30'W

N. Bank
S.

Levee

Pit

Pit

Wash out

Borrow

Anderson

Borrow

Drainage

Canal

027741

Meander of Anderson Levee Oct 3, 1907
R.E.D

"A.L."

+13 Water Edge
+5 Crest of Levee

47
+48
+30
46
45
44
43
42
+23.8
+15.0

41
40
39
38
37
36
35
+65
+10 Toe of break.
34
33
+80
32
31



0275

Meander of Drainage Canal

17
16
15
14

Sta 13 + 23.35 △
Sta 37.50

Note - Drainage Canal continues on this line to about 17+50

Bearing 19050 E
Door

Tules

13
12
11
10
9
8
7
6
5
4
3
2
1

D 618+00.0 △
S.D. 0+00.0 △ O.D

N30°32'E

N30°32'E

(B.O. to O.D. 14+39.03 △)

△ 10' × 37' ×

← Drainage

S. Bank.

Canal

N. Bank

27' × 39' ×

18' × 22' ×

6' × 47' ×

Washed out

Bridge north

during flood

Pasture

Meander of Sacramento Drainage Canal Oct 5-1911
T.5.D.

Maps Magnetic Bearings

+0.63

19
18
17
16
15
+.62
+.12

S 42°42' W

Tules

Ale 4½'

Tules

S 30°32' W

Anderson Levee

Private Road Bridge Partly Moved out

Drainage Canal

N Bank

S Back

0277

0278

M Meander of Snodgrass Slough

Angle Mag Bear

Cal. Course M Line S 40° 3' E

" " M' " S 38° 57½' E

Diff 1° 3½'

+50 56 △

+50

10 +69.2 △ See page 30.

+50

9

+50

8

+50

7

+50

6

Note - See page 30 for M' line

M' 10 + 91.1

M' 5 + 98.81

S 40° 51' E

147'

10 + 50.56 △

41'

51'

50'

48'

50'

50'

45'

45'

40'

20'

+50

+17.5 △ 28° 45' Rt S 41° 0' E

5 + 17.5 △

5

+50

4

+50

3

+64.42 △ 18° 50' Lt. S 69° 20' E

2 + 64.42

+50

2

+50

1

0 + 50

M 0 + 00

T 1109 + 38.3 △ 76° 24' Lt S 51° 0' E

S 50° 30' E

S 69° 30' E

S 50° 30' E

16'

7'

12'

13'

19'

6'

11'

14'

9'

7'

3'

5'

Snodgrass Slough

South Bank

Telos Road

Willow Bank

76° 10'

Sacramento Southern R.R.

To Walnut Grove

"N"

Meander of Snodgrass Slough.

		Angle	Magnetic Bearing			
11						
	+50					
10		5°22'Lt	N10°30'E.			10+0.0
	+50					
9			N16°15½'E.			
	+50					
8						
	+50					
7						
	+50					
	+31.34	9°3½'Lt.	N16°30E.			6+31.34
6						
	+61.95	63°16'Rt.	N26°0'E.			5+61.95
	+50					
5						
	+50					
4			N37°5'W.			
	+50					
	+43.44	7°48'Lt	N38°0'W			3+43.44
3						
	+50					
	+25.08	19°8'Rt.	N38°0'W.			2+25.08
2						
	+50					
	+47.		W. Edge Bearer Cut			
	+03		E. " "			
1			N49°17'W			
	0+50					
M²	0+0.0					
T 10 S	+32.2	104°44½'Rt.	N49°30'W			

Tules and Willow Brush

Snodgrass Slough

South West Bank

Snodgrass Slough

Sacramento Southern R.R.

Sacramento

104° 44½'

S 25° 58½' W To

0276

Continued on page 36

Meander of Snodgrass Slough

+34.8 ▲ 12° 4' Lt. N 6° 30 E.

9 +50

8 +50

7 +50

+34.88 ▲ 24° 12' Rt. N 18° E.

6 +50

5 +50

+27.53 ▲ 21° 10½' Rt. N 6° 30 W

4 +50

3 +50

+68.21 ▲ 13° 51' Rt. N 27° 30' W

2 +50

1 +50

0 +50

N3 0+0.0 ▲

I 110+94.9 ▲ 112° 57½' Rt. N 41° 30 W.

Snodgrass Slough

North East Bank

Tule

9' ▲ 9+34.8

11'

9'

10'

10'

11'

9'

6' ▲ 6+34.88

20'

26'

17'

12'

9' ▲ 4+27.53

15'

21'

28'

16'

13'

▲ 1+68.21

16'

19'

13'

See page 34

Sacramento ⊕ Southern R.R.

Sacramento ⊕

995° 58½' W to Sacramento ⊕

Col. Course N° Line N 10° 41½' E

" " N3 " N 6° 54½' E

+52.85 ▲ See page 38 Diff 4° 46'

+50

12

N° 11+50

N3 12+99

91.88

<21'

<22'

<24'

N3 9+13.1

Refer to page 38. for course in bearing further

0280

Meander of Snodgrass Slough

+50 Angle Hog Back. See page 38. p 24 Cattle

8

+50

7

+80

6

+98.1 △ 33° 54' Rt. 939° 0' E

+95 E. Edge of Beaver Cut.

+68 W. " " " "

+50

5

+50

4

+50

3

+50

+13.13 △ 24° 0½' Lt. 973° 0' E

2

+50

1

0+50

N.A 0+0.0

T 1187+94.9 △ 71° 49½' Lt. 949° 30' E

Continued on page 36.

Talse. Road

Willow Brush

North Bank Slough

Snodgrass Slough

Boarding House

Aal. Course N3 Line N6° 5½' E

" " N² " N 10° 51' E

Diff. = 4° 46'

+90 △

+50

10

9+50

N² 12+68.8

N² 10+88

Snodgrass Slough N.E. Bank

10+90

See page 49

" " 56

0281

H

Aug 31 1907

706+72
+49.25

+39
706

705+49.25


Williams house
Porch
Mrs Williams Property Line
Iron pipe at River Bank on Property Line
W.A. Johnston
W.A. Johnston Barn
Barn
Meander Line
Road
Road
Road

H

716
+50
715
+85
+50
+10
714
+50
713
+50
712
+50
711
710+97.7

Beans
and
Tomatoes

Private Road

Melons

For Topog. see page 57

Base of Levee Fence

CC 7°30' Lt

24' offset
Pt from
P.S.T.

Road

Offset 24'

Pear Orchard

Road

Offset 24'

Offset 24'

Sloan Ditch

1677
710+37.7
Tan. Curvature Lt. Tt=507.87
B.C. T 3 Lt
710
+50
709
+80
+50
708
+51.2
+50
707
+90.2

Private Road Lt 7+45

Road

0283


H
53
Aug 29 1927
750
728
750
734
735
Fence
or Lane
or private road
737
750
736
750
735
750
734
750
733
750
732
750
731
750
730
719 751
721
718 + 97
750
718
763
750
743
717
750
W.A. Johnston
Mrs Williams
Cultivated Land
Fence
Barns
Base of Curve
Bore exist
Fence
Top above
Base of curve
Back tangent
Fence
Top curve
Base Curve
Franklin Road
Top curve
Base Curve
Level
Bore exist
Fence
Bore exist
Fence
Base of Curve
Bore exist
Fence
Bore exist
Fence
Bore exist
Fence

0285

55

"H" Line Franklin Road Levee

Aug 28 1907

See Level Book 13, page 59.

Henry Frey Pasture

Radius of 30° 21 Curve

H 749+08 △ P.I. 39 Frey

747

746+78.2 △ F.C.

+50

746

+50

Fence

Fence

Henry Frey Pasture

745

+50

744

+50

743

+87 Top of Levee Edge of Franklin Road

+66 Property line

+60 △ Top of Levee Edge of Franklin Road

+34 Base of Levee

742

+50

741

+93.8 △ S.C.C. 10°00 Rt.

Fence

Fence

Johnston Estate

Base of Levee

For additional Topography see Page 56.

S.T. 11 = 394.2'

All angles turned to Tangent to Curve at that point.

Garrison

0286

H 740+38 ⊕ Sec. T3.

H 737+80 ℄ On Tangent

Franklin Road

Levee

Levee

Sketch of Levees and Franklin Road Aug 22 1917

52

0287

Sketch of Persons and Church

Tangent to 7°30' Curve

H Line

To D Line

Well

Windmill 14x14

Toilet 6x6

Base of Levee

Church

Wagon Road on Levee

Sacramento River

Steps

Walk

0288

H

Sketch showing Pivot data and Curve data
also Tie out to Transit with Dumpy
and Triangulation to locate P.C. of
Curve with Transit
Aug 27/907

38

0289

M3

Meander of Snodgrass Slough

50					
	+11.3	Δ = 7+36.2			
	+05	Δ 22°30' Rt.	N31°30'E		
49					
48					
47					
46					
45					
	+65		N9°10'E		
44					
43					
42					
	+10	Δ 10°40' Lt.	N9°30'E		41+10
41					
			N19°30'E		
40					
	+80	Δ 30°30' Rt	N20°E		39+30
39					
38					
37			N10°30'W		
	+70				
	+15	Δ 57°0' Rt	N11°W		36+15
36					
35					
34					
33			N64°30'W		
32					
31					
30					
	+35	Δ 72°30' Lt	N64°30'W		29+35

M3 29 continued from page 36.

DIVERSION DITCH OUT

DREDGER SLOUGH

North Bank

Tailings

Tailings

65 +22

50' +8'

40' +30'

46' +35'

54' +18'

50'

58'

47'

29'

54' +25'

10'

56' +17'

57' +45'

51' +24'

56' +9'

56' +81'

Drainage Cut - Sumner Pit

Field Notes of Boundary Line taken by E.P. Gilliss August 1912. Copied from sketch Sept 7 1912. H.V.H.

Swamp Land Survey 1000 Boundary

E.P.G.

Iron Pipe

Pratt Gulch 7+56.7

56°56½' Est of Ditch

S 48 Est of Ditch

2"x2½" Iron Pipe 2+30 Edge of Bottom Pit

0+90 Edge of Bottom Pit

0+00 Along Line

D 10°46' 38.5 Δ on Tang

0620

11/13

Meander of Mad River Slough

60

Col/DLine 87912'E
" N3 " N7830'E
Dif N1430'W.

65	+45		
64			
63	+55		
62	+90	22°30', N 8°E	N7°30'E
61			
60			
59	+60		
58			
57			
56			
55	+65	1020' Lt	N15°W
54			
53	+45	38°10' Lt	N4°40'W
52			
51	+65		N31°30'E
	N550 +45		

DISTRICT 551

DREDGER

OUT

See page 60.

Abated Water with Weeds

530 +365 +374 +377

GNODG TRA99 BLDG 11 N. BANK

+53' +52'9 +44' +35

+40' +37'9 +61' +20'

BEAVER CUT

TULES

SHORELINE TO WALNUT GROVE

SOUTHERN P.R. 9°0' 17"E

DIONHIKER

0291

"T" LINE

Transit Notes copied from Book # 11, pages 38 to 47
Notes taken by Drury Butler. Notes copied Oct. 14, 1911 H.V.M.

1124 See Level Book No 13, page 52, for "T" Line Level Notes.
1123
1122 Pasture unreclaimed
1121 Hub set at Locke, Van Loben Sels corner
1120 N.B. As this corner was gone, the approximate location was
1119 obtained from Mr. Fountain,
1118 but not accurately owing to
1117 high water
+78.5 Hub set in old hole where post was set on Locke, Van Loben Sels Line
1116
+05 +05 Water edge
1115 See page 40 of this book for property line between P.J. Van Loben Sels and G.W. Locke
1114 Slough approximately parallel to Snodgrass Slough
+45 +45 Water edge

1113.
1112
1111
+15.5 End of Tule
1110
+50
+03.7 Tule and Overflowed Land
1109
+92 +92 Edge of Snodgrass Slough
+50 stake not set
+10 +10 Edge of Snodgrass Slough
1108
"T" 1107+60.5 E.C. S 7° 30' W.
"D" 1108+65.3 on Tang.
"D" 1108+72.2 on Tang. (calculated)

Calculated Course S 25° 56' W

Transit Notes continued from page 29.
See Level # 13, page 52.

0292

"T"

1146
1145
1144
1143
1142
1141
+50
1140
+81[a]
1139
1138
1137
1136
+71[b]
1135

Course S 25° 56' W

Locke Lake

+50 Water edge
N.B. Tide water so water edge is very uncertain.

Pasture Unreclaimed

Calculated.

+60
1134
1133
1132
1131
1130
1129
+58
1128
1127
+50[a]
1126
1125
+70
T 1124+25

+60 Water edge.

500 250

Dec. 12, 1906.

+58 Water edge.

Owing to high water ere the Topography was taken, these Lakes and Sloughs could not be measured up.

+70 Water edge.

Slough

+35 Water edge

0293

0294

1170 +74.4
+50
1170
T 1169+51.4 △ on Tang = 0+00 Traverse of Levee
1169
1168 See Level # 13, page 68.
1167+44.3 △
1167
1166
1165

Fence
Borrow Pit.

Mrs. A.L. Wise

Property Line
Fence

Levee

Geo. Locke

S 25° 56' W

1160
1159

+75.7 △
1158
1157
+31 △
+10
1156
1155
1154
1153
1152
1151
1150
1149
1148
T 1147

Calculated Course

150

Pasture

+10 Water edge.

Pump Stack

Locke Lake

"I"

1187+88.4 △ Property Line J.L. Wise

property Line

45°

Ditch

Iron Pipe on L. Base of Levee

265.8

85°18'

1187

1186

+10 △ Mrs. N.J. Wise

20° offset △

1185

+91.1

+38.7 Corner of Barn

+21.3 △ Corner of Barn

Course S. 35° 56' W.

"S" 1183+45.94 } See

Note:- "T" 1183+45.94 } page 67.

20° offset △

1184

+64.7 Fence

Corral

Barn

77.7

29

40.3

15

80.2

House

40.3

32.2

Creat of Levee

90°

279.2 to Fence

302.2 to Creat of Levee

75'10"

96.3

Lane 25 ft wide

Property Line

Fence

1183

1182

1181

+57.3 △

See page 66

20° offset △

+50 Edge of Alfalfa

1180

1179

1178

Mrs. Jessie Wise

Cultivated Ground

Creat of Levee

1177

1176

+95

Calculated

Fence

124.35

55°25'

1343.2

1175

Fence

Property Line

1174

Mrs. M.L. Wise

Steel Corral

Frame

Chicken Yard

For additional Topography

See pages 67 and 68

1173

Alfalfa

Also see Pipes and Property Lines

Field Book #48, page 37.

Oak Tree on West of Levee on Lockewise Line

1172

+03.7

Fence

56° 44'

3192

103.7 Fence

"T" 1171

Fence

Fence

2793

87.2

91°45'

87.2

Levee

0295

"TT" 65

Transit Notes copied from Book #11, pages 38 to 47
Notes taken by Drury Butler. Notes copied Oct. 14, 1911. H.V.H.

0296

"E" 1420+45 ± E.C.
"T" 1197+43.7 △ on Tang
1197
1196
1195
+83± △
1194
1193
1192
1191
+50 +17
1190
1189
"T" 1186

Continued in Transit Book #8, page 15
See Level Book #13, page 70

Calculated Course S 25° 56' W

30° Offset

R. Lutkin

86°06'
93°52'

197±

o/Iron Post

15±

Peach Trees 18ft apart

19 Trees

J. L. Wise

Small Ditch
Center of Road.

96°

Road 57 ft wide

Level

Ditch

Plowed Ground

"S" LINE for Spur at Walnut Grove

Transit Notes copied from Book #11, pages 76-78

(For 'S' Line level notes see level book #13. page 6)

Notes taken by A.G. Scurfield

Notes copied Oct. 16, 1911. H.V.M.

1177+84		T.G. 4°30'
+54		
1177+24.25 △	B.C. T3	25 ft. offset on Left.
1175+56 △		25 ft. offset on Left.
1175+41		House
1175+03.6		House
1174+79.2 △	E.C.	
+49.2		
1174+19.2 △	5°23½	C.C. T3L
1174	4°38'	
+50	2°46.2'	
1173	0°53'	
1172+76.1 △	0°00'	C.C. 7°30 L.
+46.1		
1172+16.1 △	B.C. T3L.	
1172		
1171		
1170		
"S" 1169+66.5 △	on Tang	
"E" 1394+09 △	on 1°30' Curve	

T.G. 2°15'

T.G. 10°47' L.C. 143.2'

T.G. 2°15'


When poly line intersection was made at S 1172+69.2 the intersection angle read 85°58' Lt tang to the curve
1172+69.2 Property Line
1172+71.5
1172+10
Potatoes
Oak Tree
Edge of Finished Grade
C.L. Line
Edge of Finished Grade

Geo. Locke

Feb. 7, 1907.

Continued in Transit Book #4, page 17.

0297

"S" LINE for Spur at Walnut Grove

Transit Notes copied from Book "U, pages 76 to 78.

Notes copied Oct. 16, 1911 H.M.M.

0298

"T" 1183+45.29 ℄

"S" 1183+45.29 ℄ on Siding. H.B. to Spur. 13 ft. Right of "T" 1183+45.29 ℄

1182+72.22 ℄ 17° Rt. 6°22' R.

1182+42.22 ℄ 21°24½' E.C.

1182 19°17.8'

+50 16°47.8'

1181 14°17.8'

+50 11°47.8'

1180 9°17.8'

+50 6°47.8'

1177+03 Property Line.

1179 4°17.8' Mary L. Wise

For Topography see pages 64 and 68

+50 1°47.8'

"S" 1178+14.05 ℄ 0°00 C.C. 10°00' R.

T.C. 42°49'

T.C. 42°8'17"



Connection of "T" and "S" Line with property lines. 63

Transit Notes copied from Book # 11, page 79 June 12, 1907

Notes copied Oct. 16, 1911 H.W.M.



0269

Intersection of Sacramento Southern Railroad and Great Western Power Company Pole Line.

June 10, 1908.

"D" 786+33 ℄
=
269+22 Tower Line

"D" 785+99 ℄ ∠ 42°15' R.
269+57 Tower Line

Hub set Nov. 1907

I could find no points on center line, so set up and took angle to offset line. This offset line is center of Tower Line. Information about transit points and stationing received from Mr. Purcell, Surveyer of Great Western Power Co.

Copied from notes of P.E. Dutour.
H.H.M.

P.E. Dutour.

0300

70

Survey of Borrow Pit on "H" Line showing Strip to be Deeded to Hood Improvement Company. Notes copied from Miscellaneous Cross Section Book# 50, page 36. H.W. 8/22/12

Field Work May 24-28, 1912.

"H" 738+93.6

"H" 719+51.4 E.C.



Property Lines. S.E. corner of Sec. 35, T. 6N. R. 4 E.

Hub set Sept. 23, 1909.

September 23, 1909.

"D" 906+19.9


S.E. corner Sec 35
N 71°30 E mag
687.2
926.5
"D" 906+19.9
82°21'
83°11'
2396
T 5N R 4E
T 6N R 4E
T 905+89.9
89°13'
Line Fence
N 17°45' W mag
The U.S. Government Land Notes give the
distance from the closing corner on 1st Standard Parallel North T 6N.
R 4 and 5 E to the East Boundary of T 5N. R 4 E. M.D.B. and M. as 11.9 chains.
Hub set Sept. 23, 1909
I found 4 old fence posts
on this line, line very crooked
and all but one post burned to ground.
P.E.D.
Sacramento Southern Railroad
To Walnut Grove
"T" Line Abandoned

Field Notes copied from Sketch made by P.E. Dufour
H.W. Jan 5 1913.

0301


Twenty-
foot Strip Reserved
Hood Tunnel
Post Line
Mrs Johnson
835.5
177.95
412.7
N. 71° 45' E.
N. 71° 45' E.
N. 71° 45' E.